



<p>CuT%</p> <ul style="list-style-type: none"> 0.001 - 0.10 0.10 - 0.30 0.30 - 0.50 0.50 - 0.70 0.70 - 1.00 >1.00 	<p>Au gr/Tn</p> <ul style="list-style-type: none"> 0.001 - 0.10 0.10 - 0.30 0.30 - 0.50 0.50 - 1.00 >1.00 	<p>SYMBOL HOLE</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Au gr/Tn</p> </div> <div style="text-align: center;"> <p>Cu T%</p> </div> </div>	<p>Lithology</p> <ul style="list-style-type: none"> Coverture Diorite Andesite Quartz Monzonite Main Quartz Monzonite Secondary Quartz Monzonite Late Monzonite Latite Limestone 	<p>Mineral Resources 2012</p> <ul style="list-style-type: none"> Mineral Resources 2012 High Grade Pit Shell Limits Mineral Resources Pit Shell Limits 	<p>PLAN DRILLING 2012 - 2013</p> <ul style="list-style-type: none"> P75 Mo % > 0.010 																
<p>PANORO APURIMAC S.A</p> <p>Project: COTABAMBAS</p> <p>Description: LITHOLOGY SECTION LINE 07E</p>			<p>Av. Pardo y Aliaga N°699 -of. 601B San Isidro Telf. 6285978 Fax-Anexo 6285979 http:// www.panoro.pe</p>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Drawn: E.G</td> <td>Check: J.R</td> <td>Aprob: J.R</td> <td>Area: Geologia</td> <td>Lamine:</td> </tr> <tr> <td>Datum: PSAD 56 - 18S</td> <td>Size: A3</td> <td>Scale: 1:5,000</td> <td>NameFile: SECCION-07E</td> <td rowspan="2" style="font-size: 24px; font-weight: bold;">L-07</td> </tr> <tr> <td>Date: ENERO-2013</td> <td>Version: 01</td> <td>Location:</td> <td>XXX</td> </tr> </table>			Drawn: E.G	Check: J.R	Aprob: J.R	Area: Geologia	Lamine:	Datum: PSAD 56 - 18S	Size: A3	Scale: 1:5,000	NameFile: SECCION-07E	L-07	Date: ENERO-2013	Version: 01	Location:	XXX
Drawn: E.G	Check: J.R	Aprob: J.R	Area: Geologia	Lamine:																	
Datum: PSAD 56 - 18S	Size: A3	Scale: 1:5,000	NameFile: SECCION-07E	L-07																	
Date: ENERO-2013	Version: 01	Location:	XXX																		